VERNON Royal LINE

SPECIES UMA INORNATA TAG. NO. 201

CONTAINER NO. R11 SEX ♀ AGE ad ? TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE May 26, 1960 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 47.0 °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in shade of Larrea divericata

Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/code6umainortata00mayh_0

SPECIES UMA INORNATA TAG. NO. 202

CONTAINER NO. R11 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 94

DATE MAY 26 1980 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0905 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 47.0 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on open sand

SPECIES UMA INORNATA TAG. NO. 203

CONTAINER NO. R35 SEX ♂ AGE ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 94

DATE MAY 26 1960 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 47.0 °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea divericata

SPECIES _____ TAG. NO. _____

CONTAINER NO. _____ SEX _____ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE _____ SPEEDOMETER _____

LOCALITY _____

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ POND TEMP. _____

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____

HABITAT _____

CHASE _____ FLEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 204

CONTAINER NO. R17 SEX ♂ AGE ad TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 110

DATE MAY 26 1960 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 47.0 °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in shade of Chilopsis linearis

Slight orange on sides.

SPECIES _____ TAG. NO. _____

CONTAINER NO. _____ SEX _____ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE _____ SPEEDOMETER _____

LOCALITY _____

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____

HABITAT _____

CHASE _____ FLEET

REMARKS: _____

_____

_____

_____

_____

_____

_____

SPECIES UMA INORNATA TAG. NO. 205

CONTAINER NO. R11 SEX ♀ AGE ad? TOE CLIP# 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE MAY 26 1960 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP ~~40~~ 47.0 °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea divericata

SPECIES UMA INORNATA TAG. NO. 206

CONTAINER NO. R35 SEX ♀ AGE ad ? TOE CLIP# 6

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE MAY 26 1960 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0930 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 47.0 °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS: in shade of Larrea divericata

SPECIES UMA INORNATA TAG. NO. 207

CONTAINER NO. R35 SEX ♀ AGE ad. TOE CLIP# 7

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE MAY 26 1960 SPEEDOMETER 36848

LOCALITY 3 mi. N. W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 47.0 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: in shade of Larrea divericata

SPECIES UMA INORNATA TAG. NO. 208

CONTAINER NO. R38 SEX ♂ AGE ad. TOE CLIP # 8

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 105

DATE MAY 20 1960 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. E ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea divericata

Slight orange on sides

SPECIES UMA INORNATA TAG. NO. 209

CONTAINER NO. R38 SEX ♂ AGE ad. TOE CLIP# 9

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 92

DATE MAY 20 1980 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1005 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS: in shade of Larrea divericata

SPECIES UMA INORNATA TAG. NO. 210

CONTAINER NO. R11 SEX ♀ AGE ad. TOE CLIP# 10

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE MAY 26 1960 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in shade of Larrea divericata

slight orange on sides & side of tail.

Eggs in oviducts.

Left = 2 eggs Right = 1 egg

17.7 x 9.0 20.1 x 8.3

18.8 x 7.7

1 corpus luteum 2 corpora lutea

SPECIES UMA INORNATA TAG. NO. 211

CONTAINER NO. R32 SEX ♂ AGE ad. TOE CLIP# 11

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 109

DATE MAY 26 1960 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 75 FEET

REMARKS: in broken sun beneath Larrea divericata. Slight orange on sides.

SPECIES UMA INORNATA TAG. NO. 212

CONTAINER NO. R32 SEX ♂ AGE ad. TOE CLIP# 12

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 92

DATE MAY 20 1980 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.2 °C AIR TEMP(1 cm) 37.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in shade of Larrea divericata

SPECIES UMA INORNATA TAG. NO. 213

CONTAINER NO. R32 SEX ♀ AGE ad. TOE CLIP# 13

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE MAY 20 1960 SPEEDOMETER 36848

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.2 °C AIR TEMP(1 cm) 37.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea divericata

Lots of yellow on back of hind legs.

SPECIES *Uma inornata* TAG. NO. *214*

CONTAINER NO. *Y9* SEX *♀* AGE *ad* TOE CLIP# *14*

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *81*

DATE MAY 26 [illegible] SPEEDOMETER *36848*

LOCALITY *3 mi. N. W. of Palm Springs*

COUNTY *Riverside* CALIF.

STANDARD TIME *1110* CLOUDS(% overcast) *0*

MOON *—* RELATIVE HUMIDITY(%) *—*

WIND DIRECTION *N. E.* ALTITUDE(ft.) *1100*

WIND VELOCITY(mi/hr) *3-5* ROAD TEMP. _____ °C

AIR TEMP(30 in) *34.2* °C AIR TEMP(1 cm) *37.0* °C

SOIL SURFACE TEMP *50+* °C CLOACAL TEMP *38.1* °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *creosote bush scrub*

CHASE *3* FEET

REMARKS: *in shade of Chilopsis linearis*

SPECIES UMA INORNATA TAG. NO. 215

CONTAINER NO. Y13 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 92

DATE June 12, 1960 SPEEDOMETER 43466

LOCALITY 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0750 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) 31.0 °C

SOIL SURFACE TEMP 42.0 °C CLOACAL TEMP 38.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG. NO. 216

CONTAINER NO. Y13 SEX ♂ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 106

DATE JUN 12 1960 SPEEDOMETER 43467

LOCALITY 1 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) 31.0 °C

SOIL SURFACE TEMP 42.0°C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun on top of hummock

SPECIES UMA INORNATA TAG. NO. 217

CONTAINER NO B46 SEX ♂ AGE ad? TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE JUN 12 1960 SPEEDOMETER 43467

LOCALITY 1 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) 31.0 °C

SOIL SURFACE TEMP 42.0 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in shade of Larrea

SPECIES UMA INORNATA TAG. NO. 218

CONTAINER NO. 850 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE JUN 12 1960 SPEEDOMETER 43467

LOCALITY 1 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) 31.0 °C

SOIL SURFACE TEMP 42.0 °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun

SPECIES UMA INORNATA TAG. NO. 219

CONTAINER NO. R51 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 98

DATE JUN 12 1960 SPEEDOMETER 43476

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.4 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun

SPECIES LIMA INORNATA TAG. NO. 320

CONTAINER NO. RS1 SEX ♀ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE JUN 12 1960 SPEEDOMETER 43476

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.4 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: broken shade of Larrea

3 corpora lutea — left ovary

1 Corpus luteum — right "

SPECIES UMA INORNATA TAG. NO. 221

CONTAINER NO. Y13 SEX ♀ AGE ad. TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 88

DATE JUN 12 1960 SPEEDOMETER 43476

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.4 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on open sand

Left oviduct—1 egg: Right oviduct—2 eggs:

20.7 X 10.1 mm. 18.3 X 10.1 mm.

20.5 X 11.1 "

1 corpus luteum 2 corpora lutea

SPECIES UMA INORNATA TAG. NO. 222

CONTAINER NO. R 51 SEX ♂ AGE ad ? TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE JUN 12 1960 SPEEDOMETER 43476

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38.8 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: broken shade of Larrea

SPECIES UMA INORNATA TAG. NO. 223

CONTAINER NO. Y13 SEX ♂ AGE ad. TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 114

DATE JUN 12 1960 SPEEDOMETER 43476

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: broken shade of Larrea

SPECIES UMA INORNATA TAG. NO. 224

CONTAINER NO. Y13 SEX ♂ AGE ad TOE CLIP# 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 102

DATE JUN 12 1960 SPEEDOMETER 43476

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 41.5- °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: broken shade – Larrea

SPECIES UMA INORNATA TAG. NO. 225

CONTAINER NO. RS1 SEX ♂ AGE ad TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 93

DATE JUN 12 1981 SPEEDOMETER 43476

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 44.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: open sand

SPECIES UMA INORNATA TAG. NO. 226

CONTAINER NO. R35 SEX ♀ AGE Ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 88

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0615 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 29.5 °C AIR TEMP(1 cm) 29.5 °C

SOIL SURFACE TEMP 29.5 °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: In sun on dune.

1 corpus luteum (?) in each ovary

SPECIES UMA INORNATA TAG. NO. 227

CONTAINER NO. R35 SEX ♂ AGE Ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0635 CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION ——— ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~30 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: In dead chilopsis

SPECIES UMA INORNATA TAG. NO. 228

CONTAINER NO. R35 SEX ♂ AGE Ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 101

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0705 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION ——— ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~ 30 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: Buried in open sand.

SPECIES UMA INORNATA TAG. NO. 229

CONTAINER NO. R31 SEX ♀ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE JUL 23 1980 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION ——— ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 44.6 °C CLOACAL TEMP 40.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Open area near Larrea

SPECIES UMA INORNATA TAG. NO. 230

CONTAINER NO. R31 SEX ♀ AGE A4 TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0835 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 44.6 °C CLOACAL TEMP 40.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: Open area near Lawn

1 corpus luteum in each ovary

SPECIES UMA INORNATA TAG. NO. 231

CONTAINER NO. R43 SEX ♀ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0945 CLOUDS(% overcast) 25

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38 °C

SOIL SURFACE TEMP 49.5 °C CLOACAL TEMP 43.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: Broken sem under Larrea

LEFT OVIDUCT - 1 EGG RIGHT OVIDUCT - 1 EGG.

19.5 x 11.1 21.2 x 10.8

1 corpus luteum 1 corpus luteum

SPECIES UMA INORNATA TAG. NO. 232

CONTAINER NO. R43 SEX ♂ AGE Ad TOE CLIP# 2

WEIGHT(gr) _____ SNOUT-VENT LENGTH(mm) 72

DATE JUL 23 1980 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1005 CLOUDS(% overcast) 25

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AAIR TEMP(30 in) 38 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: Broken arm under Larrea

SPECIES UMA INORNATA TAG. NO. 233

CONTAINER NO. R27 SEX ♂ AGE A4 TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1010 CLOUDS(% overcast) 40

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 43.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: Broken shade under Larrea

SPECIES UMA INORNATA TAG. NO. 234 269

CONTAINER NO. R40 SEX ♀ AGE ad TOE CLIP# 7

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE AUG 11 [illegible] SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in sun under Larrea.

SPECIES UMA INORNATA TAG. NO. 235 ~~220~~

CONTAINER NO. RH0 SEX ♀ AGE ad TOE CLIP# 8

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun under Larrea.

SPECIES UMA INORNATA TAG. NO. 236

CONTAINER NO. R37 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 97

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0710 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: in sun

SPECIES UMA INORNATA TAG. NO. 237

CONTAINER NO. R37 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 111

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0715 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 34.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: on top of dune under sand.

SPECIES UMA INORNATA TAG. NO. 238

CONTAINER NO. R37 SEX ♀ AGE ad. TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 89

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N, W, of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0725 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: first seen running across sand

SPECIES UMA INORNATA TAG. NO. 239

CONTAINER NO. RH0 SEX ♂ AGE ad TOE CLIP # 9

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun

SPECIES UMA INORNATA TAG. NO. 240

CONTAINER NO. R46 SEX ♂ AGE ad ? TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0645 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) — i

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun

SPECIES UMA INORNATA TAG. NO. 241

CONTAINER NO. R49 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 119

DATE Aug. 10, 1960 SPEEDOMETER 5602

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1750 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA NOTATA TAG. NO. 242

CONTAINER NO. R49 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 89

DATE AUG 10 1960 SPEEDOMETER 5602

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1800 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 243

CONTAINER NO. R49 SEX ♀ AGE ad. TOE CLIP# _____

WEIWEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE AUG 10 1960 SPEEDOMETER 5602

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIRAIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 244

CONTAINER NO. R49 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE AUG 10 1960 SPEEDOMETER 5602

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 245

CONTAINER NO. R49 SEX ♀ AGE 9d TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE AUG 10 1960 SPEEDOMETER 5602

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA NOTATA TAG. NO. 246

CONTAINER NO. Y10 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 89

DATE AUG 10 1960 SPEEDOMETER 5602

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 247

CONTAINER NO. Y10 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT (gms) _____ SNOUT-VENT LENGTH(mm) 115

DATE AUG 10 1960 SPEEDOMETER 5602

LOCALITY 5 mi. N. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 248

CONTAINER NO. Y10 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 113

DATE AUG 10 1960 SPEEDOMETER 5602

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 249

CONTAINER NO. Y10 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 94

DATE AUG 10 1960 SPEEDOMETER 5602

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 250

CONTAINER NO. Y10 SEX ♀ AGE ad? TOE CLIP # _____

WEIGHT(gms) ___ _____ SNOUT-VENT LENGTH(mm) 75

DATE AUG 10 1960 SPEEDOMETER 5602

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 251

CONTAINER NO. R29 SEX ♀ AGE ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79°

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0720 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2°C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on dune

SPECIES UMA INORNATA TAG. NO. 252

CONTAINER NO. R29 SEX ♀ AGE ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 71

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0725 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on dune

SPECIES UMA INORNATA TAG. NO. 252

CONTAINER NO. R29 SEX ♀ AGE ad TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N. W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0735 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 33.4 °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: running on sand

SPECIES UMA INORNATA TAG. NO. 253

CONTAINER NO. R29 SEX ♀ AGE ad TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0745 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: in shade under Larrea divericata.

SPECIES UMA INORNATA TAG. NO. 255F

CONTAINER NO. R29 SEX ♀ AGE ad ? TOE CLIP# 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 92

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea

SPECIES UMA INORNATA TAG. NO. 256

CONTAINER NO. R38 SEX ♀ AGE ad? TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0725 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: in sand under creosote bush

SPECIES UMA INORNATA TAG. NO. 2567

CONTAINER NO. R38 SEX ♀ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0730 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 33.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sand under Larrea divericata.

SPECIES UMA INORNATA TAG. NO. 258

CONTAINER NO. R38 SEX ♀ AGE ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 90

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0735 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: in sand under Larrea.

1 corpus luteum – left ovary

2 corpora lutea – right "

SPECIES UMA INORNATA TAG. NO. 258

CONTAINER NO. R38 SEX ♀ AGE ad TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0710 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sand under Larrea.

SPECIES UMA INORNATA TAG. NO. 260

CONTAINER NO. R46 SEX ♀ AGE ad TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0730 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in shade of Larrea.

3 corpora lutea — left ovary

3 " " — right "

261

SPECIES UMA INORNATA TAG. NO. 2601

CONTAINER NO. R46 SEX ♀ AGE ad TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0740 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in shade of Larrea.

SPECIES UMA INORNATA TAG. NO. 262

CONTAINER NO. R46 SEX ♀ AGE ad TOE CLIP# 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 86

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0800 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 38.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in shade of Larrea.

2 corpora lutea – left ovary

2 " " – right "

SPECIES UMA INORNATA TAG. NO. 263

CONTAINER NO. R46 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 105

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

264

SPECIES UMA INORNATA TAG. NO. [redacted]

CONTAINER NO. R37 SEX ♂ AGE ad TOE CLIP # 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 96

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0750 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 39.3 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun

265

SPECIES UMA INORNATA TAG. NO. [illegible]

CONTAINER NO. R40 SEX ♀ AGE ad TOE CLIP # 6

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.8 °C AIR TEMP(1 cm) 38.5 °C

SOIL SURFACE TEMP 48.0 °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in shade of Larrea.

Eggs in oviducts:

Left	Right
18.7 x 10.7 mm.	18.7 x 10.3 mm.
1 corpus luteum	2 corpora lutea

SPECIES UMA INORNATA TAG. NO. 266

CONTAINER NO. ____ SEX ♂ AGE Ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 115

DATE 15 Aug 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) ____

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT Creosote Bush scrub

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 267

CONTAINER NO. R17 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 116

DATE AUG 15 1980 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 268

CONTAINER NO. R17 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 113

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES Uma inornata TAG. NO. 269

CONTAINER NO. 49 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE Aug. 10, 1960 SPEEDOMETER 5602

LOCALITY 5 mi. N.W. of 1000 Palms.

COUNTY Riverside CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote bush scrub.

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 270

CONTAINER NO. R12 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 94

DATE SEP 16 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0730 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0° °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in SHADE OF A LARREA

SPECIES UMA INORNATA TAG. NO. 271

CONTAINER NO. R12 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 100

DATE SEP 16 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0750 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: IN SHADE OF A LARREA

SPECIES U/M INORNATA TAG. NO. 272

CONTAINER NO. 212 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE SEP 1 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0820 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3' FEET

REMARKS: IN SHADE OF A LARREA

SPECIES UMA INORNATA TAG. NO. 273

CONTAINER NO. R3 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE SEP 1 3 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0750 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4' FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 274

CONTAINER NO. B3 SEX ♀ AGE _____ TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE SEP 16 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0805 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 275

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 111

DATE SEP 16 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 276

CONTAINER NO. _____ SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 93

DATE SEP 16 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 277

CONTAINER NO. ____ SEX ♀ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 89

DATE SEP 16 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 278

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH (mm) 84

DATE SEP 1 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 279

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 82

DATE SEP 16 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 280

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 86

DATE SEP 16 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 281

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(~) 76

DATE SEP 16 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 282

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 89

DATE SEP 16 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 283

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 93

DATE SEP 16 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 284

CONTAINER NO. ____ SEX ~~ad.~~ F AGE ad. TOE CLIP # _____

WEIGHT gms) _____ SNOUT-VENT LENGTH(mm) 88

DATE ~~SEP 16 1980~~ SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG. NO. 285

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 99

DATE SEP 16 1989 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 286

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 114

DATE SEPT. 16, 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 287

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 81

DATE SEPT. 16, 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 288

CONTAINER NO. ____ SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 80

DATE SEPT. 16, 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 435

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB.

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 289

CONTAINER NO. ____ SEX ♀ AGE ad.? TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 69

DATE SEPT. 16, 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 290

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 89

DATE SEPT. 16, 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB.

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 291

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 84

DATE SEPT. 16, 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB.

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA. TAG. NO. 292

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 80

DATE SEPT. 16, 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 425

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB.

CHASE ____ FEET

REMARKS: ____

SPECIES UMA INORNATA TAG. NO. 293

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE SEPT. 16, 1960 SPEEDOMETER _____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: DEAD ON ARRIVAL AT UCR.

SPECIES UMA INORNATA TAG. NO. 294

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 74

DATE SEPT 16, 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: DEAD ON ARRIVAL AT UCR.

SPECIES *Uma inornata* TAG. NO. 295

CONTAINER NO. R4 SEX ♀ AGE ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 99

DATE Oct. 7, 1960 SPEEDOMETER 39880

LOCALITY Palm Springs (cemetery)

COUNTY Riverside CALIF.

STANDARD TIME 1010 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.0 °C AIR TEMP(1 cm) 39.2 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 20 FEET

REMARKS: in sun in open

SPECIES *Uma inornata* TAG. NO. *296*

CONTAINER NO. *R19* SEX *♂* AGE *ad* TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *110*

DATE *Oct. 7, 1960* SPEEDOMETER *39880*

LOCALITY *Palm Springs (cemetery)*

COUNTY *Riverside* CALIF.

STANDARD TIME *1025* CLOUDS(% overcast) *5*

MOON *—* RELATIVE HUMIDITY(%) *—*

WIND DIRECTION *0* ALTITUDE(ft.) *475*

WIND VELOCITY(mi/hr) *0* ROAD TEMP. _____ °C

AIR TEMP(30 in) *30.0* °C AIR TEMP(1 cm) *39.2* °C

SOIL SURFACE TEMP *50+* °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *creosote bush scrub*

CHASE *50* FEET

REMARKS: *in shade of Larrea divericata*

SPECIES UMA INORNATA TAG. NO. 297

CONTAINER NO. R17 SEX ♂ AGE ad. TOE CLIP # 19

43.2 Aug 18, 1960

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 113

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released in outdoor cage #1

AUG 18 1960

Couldn't right itself after capture on 10/20/60, so was dissected that day. Remains of 37 Tenebrio moliter larvae in its gut.

SPECIES UMA INORNATA TAG. NO. 298

CONTAINER NO. ____ SEX ♀ AGE Inh. TOE CLIP # 10

WEIGHT(gms) 7.6 SNOUT-VENT LENGTH(mm) 61

DATE AUG 11 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 425

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES #1
AUG 16 1960

Died in laboratory Oct. 20, 1960.
64 mm. long (S-V length) at that time.

SPECIES UMA INORNATA TAG. NO. 299

CONTAINER NO. R11 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 113

DATE Feb. 5, 1961 SPEEDOMETER 43390

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1319 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.E. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.2 °C AIR TEMP(1 cm) 24.6 °C

(where caught)
SOIL SURFACE TEMP 31.6 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken sun under Larrea divericata.

SPECIES UMA INORNATA TAG. NO. 300

CONTAINER NO. R36 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 117

DATE MAR 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1005 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 36

WIND DIRECTION NW ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on a dune

SPECIES UMA INORNATA TAG. NO. 301

CONTAINER NO. R36 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE MAR 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1005 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 36

WIND DIRECTION NW ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 29.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Buried in sand on top of dune about 1 inch below the surface. Walt Moberly followed its tracks to its hiding place.

SPECIES UMA INORNATA TAG. NO. 302

CONTAINER NO. R17 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 103

DATE MAR 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 36

WIND DIRECTION NW ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP 35.2 °C CLOACAL TEMP 33.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Buried in sand at top of dune.

SPECIES UMA INORNATA TAG. NO. 303

CONTAINER NO. R19 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE MAR 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1118 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 36

WIND DIRECTION NW ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 12-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 18.8 °C AIR TEMP(1 cm) 22.4 °C

SOIL SURFACE TEMP 41.2 °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: in sun on dune in lee of Larrea.

SPECIES UMA INORNATA TAG. NO. 304

CONTAINER NO. R19 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 113

DATE MAR 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1135 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION NW ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-18 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 25.4 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: seen running across road

SPECIES UMA INORNATA TAG. NO. 305

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 122

DATE MAR 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION NW ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-18 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 25.4 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: seen on road

SPECIES UMA INORNATA TAG. NO. 306

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 116

DATE MAR 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1148 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION NW ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-18 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 25.4 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: Seen on road

SPECIES UMA INORNATA TAG. NO. 307

CONTAINER NO. Y13 SEX ♂ AGE 9 d. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 115

DATE MAR 1 6 1981 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1205 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION NW ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-18 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 25.4 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in sun on dune

SPECIES UMA INORNATA TAG. NO. 308

CONTAINER NO. Y13 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms ____ SNOUT-VENT LENGTH(mm) 103

DATE MAR 16 1961 SPEEDOMETER ____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1218 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION N W ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-18 ROAD TEMP. ____ °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 25.4 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on dune

SPECIES UMA INORNATA TAG. NO. 309

CONTAINER NO. R11 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE MAR 16 1981 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1315 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION NW ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-18 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 25.4 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: in sun on lee side of dune

Some yellow on hind legs

SPECIES UMA INORNATA TAG. NO. 310

CONTAINER NO. R11 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 108

DATE MAR 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs Panorama

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1320 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION NW ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-18 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 25.4 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: in sun on lee side of dune

SPECIES UMA INORNATA TAG NO. 311

CONTAINER NO. - SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE Mar. 25, 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft)

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by Bill Truesdell.

SPECIES UMA INORNATA TAG NO. 312

CONTAINER NO. ~ SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 103

DATE Mar. 25, 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft)

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by Bill Truesdell.

SPECIES UMA INORNATA TAG NO. 313

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 115

DATE April 9, 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: DOR (1 Testis removed)

SPECIES UMA INORNATA TAG NO. 314

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 104

DATE April 9, 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft)

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: DOR

SPECIES UMA INORNATA TAG NO. 315

CONTAINER NO. R50 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 108

DATE APR 9 1961 SPEEDOMETER

LOCALITY Palm Desert

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION S.E. ALTITUDE(ft) 450

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 26.0 °C AIR TEMP(1 cm) 27.4 °C

SOIL SURFACE TEMP 38.4 °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement in sun

SPECIES UMA INORNATA TAG NO. 316

CONTAINER NO. Y2 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 105

DATE APR 9 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1105 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 26.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 46.0 °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. 317

CONTAINER NO. Y2 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) [redacted] SNOUT-VENT LENGTH(mm) 116

DATE APR 9 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1110 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 26.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 46.0 °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade of Larrea

SPECIES UMA INORNATA TAG NO. 318

CONTAINER NO. R3 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88

DATE APR 9 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3 - 5 ROAD TEMP. °C

AIR TEMP(30 in) 26.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 46.0 °C CLOACAL TEMP 37.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. 319

CONTAINER NO. Y13 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 98

DATE APR 9 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 26.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 46.0 °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. 320

CONTAINER NO. Y6 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 115

DATE APR 9 1951 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1235 CLOUDS(% overcast) 0

MOON ~ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. 321

CONTAINER NO. Y7 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 94

DATE APR 9 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1245 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in broken shade beneath Larrea

SPECIES UMA INORNATA TAG NO. 322

CONTAINER NO. R46 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 93

DATE APR 9 1981 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1255 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade beneath Larrea

SPECIES UMA INORNATA TAG NO. 323 ~~327~~

CONTAINER NO. R30 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 106

DATE APR 9 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1410 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG. NO. 324

CONTAINER NO. ____ SEX ♀ AGE ad? TOE CLIP# T 14

WEIGHT(gms) 9.5 SNOUT-VENT LENGTH(mm) 68

DATE AUG 11 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 425

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES #1
AUG 16 1960

Wt.(4/18/61) - 6.8 gms.

Length " - 68 mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 325

CONTAINER NO. ____ SEX ♀ AGE 1M. TOE CLIP# 9

WEIGHT(gms) 6.9 SNOUT-VENT LENGTH(mm) 62

DATE AUG 11 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 425

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: RELEASED IN OUT DOOR CAGES #1
AUG 16 1960

Wt. (4/18/61) - 8.0 gms.

Length " - 62 mm.

Autopsied APR 18 1961

SPECIES UMA NOTATA TAG. NO. 326

CONTAINER NO. ____ SEX ♀ AGE ad? TOE CLIP# 3

WEIGHT(gms) 12.7 SNOUT-VENT LENGTH(mm) 75

DATE AUG 11 [illegible] SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: RELEASED in ~~CREOSOTE BUSH SCRUB~~ OUTDOOR CAGES #1

AUG 16 1960 Found dead Sept. 8, 1960.

Wt. (4/18/61) - 9.1 gms.

Length " - 75 mm.

Autopsied APR 18 1961

SPECIES UTA STANSBURIANA TAG. NO. 327

CONTAINER NO. ____ SEX ♀ AGE ad? TOE CLIP# 2

WEIGHT(gms) 9.2 SNOUT-VENT LENGTH(mm) 71

DATE AUG 11 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES #1
AUG 16 1960

Wt. (4/18/61) - 7.8 gms.

Length " - 71mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 328

CONTAINER NO. ____ SEX ♀ AGE adl TOE CLIP # 7

WEIGHT(gms) 14.5 SNOUT-VENT LENGTH(mm) 79

DATE AUG 11 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES #1

AUG 16 1960

Wt. (4/18/61) - 11.5 gms.

Length " - 79 mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 329

CONTAINER NO. ____ SEX ♀ AGE ad.? TOE CLIP # 6

WEIGHT(gms) 9.3 SNOUT-VENT LENGTH(mm) 73

DATE AUG 11 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES #1

AUG 14 1960

wt.(4/18/61) - 10.8 gms.

Length " - 73 mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 330

CONTAINER NO. ____ SEX ♀ AGE ad? TOE CLIP # 5

WEIGHT(gms) 11.0 SNOUT-VENT LENGTH(mm) 73

DATE AUG 11 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES #1

AUG 16 1960

Wt.(4/18/61) - 9.7 gms.

Length " - 73 mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 331

CONTAINER NO. ____ SEX ♀ AGE ad.? TOE CLIP # 4

WEIGHT(gms) 14.2 SNOUT-VENT LENGTH(mm) 79

DATE AUG 11 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES #1

AUG 16 1960

Wt. (4/18/61) - 11.9 gms.

Length " - 79 mm

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 332

CONTAINER NO. ____ SEX ♀ AGE ad TOE CLIP# 15

WEIGHT(gms) 17.8 Aug. 18, 1960 SNOUT-VENT LENGTH(mm) 84

DATE Aug. 11, 1960 SPEEDOMETER ____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: Released in outdoor cage #1

AUG 18 1960

Wt. (4/18/61) - 15.6 gms.

Length " - 84 mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 333

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # 12

WEIGHT(gms) 15.4 SNOUT-VENT LENGTH(mm) 81

DATE AUG 11 1960 SPEEDOMETER ____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES #1

AUG 16 1960

Wt. (4/18/61) - 12.0gms.

Length " - 81mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 334

CONTAINER NO. ____ SEX ♀ AGE ad.? TOE CLIP# 1

WEIGHT(gms) 12.0 SNOUT-VENT LENGTH(mm) 70

DATE AUG 11 1960 SPEEDOMETER ____

LOCALITY PALM SPRINGS

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT ~~SAND DUNE~~ CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: RELEASED IN OUTDOOR CAGES; #1

16 AUG., 1960

Wt. (4/18/61) - 12.3 gms.

Length " - 75 mm.

Autopsied APR 18 1961

335

SPECIES UMA INORNATA TAG. NO. ~~256~~

CONTAINER NO. R37 SEX ♀ AGE ad TOE CLIP # 16

WEIGHT(gms) 17.2 AUG. 18, 1960 SNOUT-VENT LENGTH(mm) 87

DATE AUG 11 1960 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Released in outdoor cage #1

AUG 18 1960

wt. (4/18/61) - 18.6 gms.

Length " - 87 mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 336

CONTAINER NO. ____ SEX ♀ AGE ad TOE CLIP# 13

WEIGHT(gms) 18.8 Aug. 18, 1960 SNOUT-VENT LENGTH(mm) 88

DATE Aug. 11, 1960 SPEEDOMETER ____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME ____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ____ FEET

REMARKS: Released in outdoor cage # 1
AUG 18 1960

Wt. (4/18/61) - 16.0 gms.

Length " - 88 mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 337

CONTAINER NO. R17 SEX ♀ AGE ad TOE CLIP # 18

WEIGHT(gms) 20.1 Aug. 18, 1960 SNOUT-VENT LENGTH(mm) 89

DATE AUG 15 1960 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Released in outdoor cage #1

AUG 18 1960

Wt. (4/18/61) - 17.6 gms.

Length " - 89 mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 338

CONTAINER NO. R17 SEX ♂ AGE ad TOE CLIP # 20

23.5 Aug. 18, 1960

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 88

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released in outdoor cage #1

AUG 18 1960

Wt. (4/18/61) - 25.1 gms.

Length " - 90 mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG. NO. 339

CONTAINER NO. R17 SEX ♂ AGE ad TOE CLIP # 22

38.8 AUG. 18, 1960

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 106

DATE AUG 15 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Released in outdoor cage #1

AUG 18 1960

Wt. (4/18/61) - 27.3 gms.

Length " - 108 mm.

Autopsied APR 18 1961

SPECIES UMA INORNATA TAG NO. 340

CONTAINER NO. 04 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 107

DATE MAY 18 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. 341

CONTAINER NO. Y6 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 120

DATE MAY 18 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 342

CONTAINER NO. Y6 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 118

DATE MAY 18 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Tinge of orange on sides

SPECIES UMA INORNATA TAG NO. 343

CONTAINER NO. 09 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 110

DATE MAY 18 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Tinge of orange on sides

SPECIES UMA INORNATA TAG NO. 344

CONTAINER NO. R14 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88

DATE MAY 18 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475'

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 345

CONTAINER NO. R42 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 102

DATE MAY 18 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 346

CONTAINER NO. R3 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Dug out of sand with hook.

SPECIES UMA INORNATA TAG NO. 347

CONTAINER NO. R3 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE MAY 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Dug out of sand with hook

SPECIES UMA INORNATA TAG NO. 348

CONTAINER NO. R3 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE MAY 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Dug out of sand with hook

SPECIES UMA INORNATA TAG NO. 349

CONTAINER NO. R17 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 91

DATE MAY 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Dug out of sand with hook

SPECIES UMA INORNATA TAG NO. 350

CONTAINER NO. R1 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 104

DATE MAY 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Dug out of sand with hook

SPECIES UMA INORNATA TAG NO. 351

CONTAINER NO. R1 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 113

DATE MAY 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Dug out of sand with hook

SPECIES UMA INORNATA TAG NO. 352

CONTAINER NO. R1 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 107

DATE MAY 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Dug out of sand with hook

SPECIES UMA INORNATA TAG NO. 353

CONTAINER NO. 07 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 106

DATE MAY 18 1981 SPEEDOMETER

LOCALITY 3 mi. S.E. of Garnet

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1550 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 7-10 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand in lee of Larrea.

SPECIES UMA INORNATA TAG NO. 354

CONTAINER NO. R1 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 113

DATE JUN 19 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: on pavement

SPECIES UMA INORNATA TAG NO. 355

CONTAINER NO. W4 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 86

DATE JUN 19 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. 356

CONTAINER NO. W4 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE June 19, 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38.4 °C

SOIL SURFACE TEMP 50.4 °C CLOACAL TEMP 41.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: Buried in sand beneath Larrea divericata

SPECIES UMA INORNATA TAG NO. 357

CONTAINER NO. R16 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE JUN 19 1961 SPEEDOMETER

LOCALITY 3 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38.4 °C

SOIL SURFACE TEMP 50.4 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: buried in sand beneath Larrea divericata.

Left oviduct	Right oviduct
18.9 x 11.6 mm.	18.5 x 13.9 mm.
	19.6 x 12.0 "
1 corpus luteum	2 corpora lutea

SPECIES UMA INORNATA TAG NO. 358

CONTAINER NO. R16 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 110

DATE JUN 19 1961 SPEEDOMETER

LOCALITY 3 mi. W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38.4 °C

SOIL SURFACE TEMP 50.4 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 75 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. 359

CONTAINER NO. R10 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE JUN 19 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0720 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

1 corpus luteum – each ovary

SPECIES UMA INORNATA TAG NO. 360

CONTAINER NO. RH SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE JUN 19 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON ~ RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38.4 °C

SOIL SURFACE TEMP 50.4 °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. 361

CONTAINER NO. RH SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE JUN 19 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON ~ RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 35.5 °C AIR TEMP(1 cm) 38.4 °C

SOIL SURFACE TEMP 50.4 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. 362

CONTAINER NO. 05 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm)

DATE JUL 17 1961 SPEEDOMETER

LOCALITY 4 mi. E. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 363

CONTAINER NO. 05 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 113

DATE JUL 17 1961 SPEEDOMETER

LOCALITY 4 mi. E. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 364

CONTAINER NO. W12 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 117

DATE JUL 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 365

CONTAINER NO. R10 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE JUL 18 1961 SPEEDOMETER

LOCALITY 5 mi. N. W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 366

CONTAINER NO. R10 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE JUL 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 367

CONTAINER NO. R49 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE JUL 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA NOBILATA TAG NO. 368

CONTAINER NO. R49 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUL 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 369

CONTAINER NO. R49 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE JUL 18 1961 SPEEDOMETER

LOCALITY 5 mi N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: tinge of orange on sides

SPECIES UMA INORNATA TAG NO. 370

CONTAINER NO. R37 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE JUL 18 1961 SPEEDOMETER

LOCALITY 5 mi. N. W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Tinge of orange on sides

Left oviduct	Right oviduct
19.4 X 11.6 mm.	19.8 X 11.6 mm.
1 corpus luteum	1 corpus luteum

SPECIES UMA INORNATA TAG NO. 371

CONTAINER NO. R37 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE JUL 18 1961 SPEEDOMETER

LOCALITY 5 mi. N. W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 372

CONTAINER NO. R37 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 86

DATE JUL 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Left oviduct Right oviduct

22.8 X 9.7 mm. 21.1 X 10.0 mm.

1 corpus luteum 1 corpus luteum

SPECIES UMA INORNATA TAG NO. 373

CONTAINER NO. R24 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE JUL 18 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 374

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 118

DATE AUG 14 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 375

CONTAINER NO. 09 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 114

DATE AUG 14 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 376

CONTAINER NO. 09 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE AUG 14 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 377

CONTAINER NO. R4 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 118

DATE AUG 14 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 378

CONTAINER NO. R4 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 115

DATE AUG 14 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 379

CONTAINER NO. R3 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 104

DATE AUG 14 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 380

CONTAINER NO. R3 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE AUG 14 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 381

CONTAINER NO. R3 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE AUG 14 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Parasitized liver.

LEFT OVIDUCT	RIGHT OVIDUCT
19.8 x 9.1	20.0 x 10.4
1 corpus luteum	1 corpus luteum

SPECIES UMA INORNATA TAG NO. 382

CONTAINER NO. R9 SEX f AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE AUG 14 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 383

CONTAINER NO. R9 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE AUG 14 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. 384

CONTAINER NO. R9 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE SEP 10 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. 385

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 110

DATE SEP 10 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. 386

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 112

DATE SEP 10 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 387

CONTAINER NO. 014 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE SEP 14 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 388

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 114

DATE SEP 14 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 389

CONTAINER NO. R43 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE SEP 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1035 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. 390

CONTAINER NO. R43 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE SEP 16 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 46.4 °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. 391

CONTAINER NO. R43 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE SEP 16 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES UMA INORNATA TAG NO. 392

CONTAINER NO. R4 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE SEP 16 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun

SPECIES UMA INORNATA TAG NO. 393

CONTAINER NO. RH SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 89

DATE SEP 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 2 FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. 394

CONTAINER NO. R4 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 98

DATE SEP 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. 395

CONTAINER NO. R28 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE SEP 16 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 20

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) 45.8 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. 396

CONTAINER NO. R28 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE SEP 16 1961 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES UMA INORNATA TAG NO. 397

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) _____

DATE OCT 10 1961 SPEEDOMETER _____

LOCALITY 5 mi. N. W. of 10000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: DOR. Contained a 1/2 grown scorpion in its gut. (Animal was hit by a car, not killed by the scorpion.)

SPECIES UMA INORNATA TAG NO. 398

CONTAINER NO. W8 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE OCT 10 1961 SPEEDOMETER _____

LOCALITY 5 mi. N. W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.0 °C AIR TEMP(1 cm) 26.2 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 39.2 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG NO. 399

CONTAINER NO. W8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE OCT 10 1981 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 24.0 °C AIR TEMP(1 cm) 26.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 39.2 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun beneath Larrea divericata

SPECIES UMA INORNATA TAG NO. 400

CONTAINER NO. 02 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE OCT 10 1961 SPEEDOMETER

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION o ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in open on sand


R-351
STEEL BACKPLATE
E. & M. VERNON, INC.
U. S. A.